

# C.G. Conn®

## Professional Conn Trombones

First embraced by the famous Emory Remington of the Eastman School, the Conn 88H Symphony Trombone defines trombone performance with its unique tone color and refusal to “breakup” even at the most extreme dynamics. Each generation of artists, teachers and designers since has made this classic instrument their own. No other trombone has the pedigree of C.G. Conn.

8H



The Conn 8H Symphony trombone is a professional trombone ideal for both symphonic and solo performance. Available in silver-plate finish as model 8HSP.

88H



The Conn 88H Symphony trombone is bronze bell professional trombone ideal for both symphonic and solo performance. Available in silver-plate finish as model 88HSP.

88HO



The Conn 88HO Symphony trombone features smooth and quick handslide action in bronze material. It is a professional trombone ideal for both symphonic and solo performance. Available in silver-plate finish as model 88HOSP.

## Professional Conn Trombones

88HCL



The Conn 88HCL Symphony trombone is a professional trombone ideal featuring the patented "CL2000" valve and is ideal for both symphonic and solo performance. Available in silver-plate finish as model 88HCLSP.

88HT



The Conn 88HT Symphony trombone features a .547" primary bore combined with a .562" bore traditional wrap F attachment that offers outstanding clarity and projection. The chrome plated nickel silver inner handslide tubes provide the ideal surface for smooth and quick handslide action. The thin or traditional bronze material used in the professional bell produces a deep, warm resonant sound with a quick response. The clear lacquer finish adds a subtle warmth to the overall.

88HTCL



The Conn 88HTCL Symphony trombone features a .547" primary bore combined with a .562" bore offers outstanding clarity and projection with an open feel. The open wrap F attachment features the patented "CL2000" valve designed by renowned solo trombone artist Christian Lindberg. The thin or traditional bronze material used in the professional bell produces a deep, warm resonant sound with a quick response.

88HTO



The Conn 88HTO Symphony trombone features a .547" primary bore combined with a .562" bore open wrap F attachment that offers outstanding clarity and projection with an open feel. The chrome plated nickel silver inner handslide tubes provide the ideal surface for smooth and quick handslide action. The thin bronze material used in the professional bell produces a deep, warm resonant sound with a quick response. The clear lacquer finish adds a subtle warmth to the overall.

## Professional Conn Trombones



The Conn model 36H is the most popular Eb alto trombone available. It features a 7" yellow brass bell designed for excellent resonance and projection with a traditional wrap Bb section with a standard rotor valve adding facility to difficult passages. The .491"/.500" dual-bore handslide design provides an ease of response and open feel. The clear lacquer finish provides a subtle warmth to the overall sound.



The Conn model 34H alto trombone is designed for the player looking for a high performance alto trombone with slide positions in the same relative positions as a tenor trombone. Available in silver-plate finish as model 34HSP.

Standard features include chrome plated nickel silver inside hand slide material, red brass outside hand slide material, dual radius nickel silver hand slide crook, yellow brass inside slide material nickel silver outside slide material and a woodshell case.

Model	Key	Bore	Bell Material	Bell Diameter	Valve	Removable Balancer	Finish	Mouthpiece					
34H	Eb	.491/.500" 12.47/12.70mm	Yellow Brass	7" / 177.80mm	Single Traditional rotor, Standard wrap	Yes	Clear Lacquer	7C					
36H	Eb/Bb												
8H	Bb	.547 / 13.89mm	Bronze	8 1/2" / 215.90mm	Single Traditional rotor, Standard wrap	Yes	Clear Lacquer	5G					
8HT			Thin wall Bronze			Yes							
88H	Bronze	Single Traditional rotor, Standard wrap	8 1/2" / 215.90mm			Single Traditional rotor, Open wrap	Clear Lacquer						
88HT	Thin wall Bronze												
88HY	Yellow Brass												
88HSGX	Sterling Silver												
88HO	Bronze												
88HTO	Thin wall Bronze												
88HYO	Yellow Brass												
88KO	Bronze												
88HSO	Bb/F								.547 / 13.89mm	Bronze	8 1/2" / 215.90mm	Single CL2000 rotor, Open wrap	Clear Lacquer
88HOSGX	Sterling Silver												
88HCL	Bronze												
88HTCL	Thin wall Bronze												
88HYCL	Yellow Brass												
88KCL	Bronze												
88HSCL	Sterling Silver												
88HCLSGX	Sterling Silver												
110H	Bb/F/Gb	.562 / 14.27mm	Bronze	10" / 254.00mm	Single Traditional rotor, Open wrap	Clear Lacquer	11/2G						
112H				9 1/2" / 241.30	Dual Traditional rotors, Independent								
62H				9 1/2" / 241.30	Dual Traditional rotors, Dependent								
62HI				9 1/2" / 241.30	Dual Traditional rotors, Independent								
62HCL				9 1/2" / 241.30	Dual CL2000 rotors, Independent								